MSE2 P - stainless steel columns for paid release of electricity and/or water





MSE 2P are stainless steel columns for paid electricity and/or water release. After inserting coins into the control it is possible to use paid appliances until the pre-paid credit is spent. It is possible to prolong the time by inserting another coins during the operation. The coin automat can accept two different currencies (standardly CZK and EUR which can be changed on order). Each el. sockets includes overcurrent and short-circuit protection as well as protective switch. Looping of el.cables is possible inside the column, therefore it is not necessary to connect every column by individual el.cable from central switchbord. Each column is equipped with small roof protecting the stand against direct rain and with opening in its lower part for ventilation. On order it can be also equipped with light. MSE 2P are manufactured from the stainless steel AISI 304. Other materials (e.g. AISI 316) possible on order. For cleaning we recommned WÜRTH detergents? material preservation (no. 0893 121 K) and material cleaning (no. 893 121 1).

Rating: Not Rated Yet

Ask a question about this product

Manufacturer: AZP Brno

Description MSE 2P are stainless steel columns for paid electricity and/or water release. After inserting coins into the control it is possible to use paid appliances until the pre-paid credit is spent. It is possible to prolong the time by inserting another coins during the operation. The coin automat can accept two different currencies (standardly CZK and EUR which can be changed on order). Each el. sockets includes overcurrent and short-circuit protection as well as protective switch. Looping of el.cables is possible inside the column, therefore it is not necessary to connect every column by individual el.cable from central switchbord. Each column is equipped with small roof protecting the stand against direct rain and with opening in its lower part for ventilation. On order it can be also equipped with light. MSE 2P are manufactured from the stainless steel AISI 304. Other materials (e.g. AISI 316) possible on order. For cleaning we recommed WÜRTH detergents? material preservation (no. 0893 121 K) and material cleaning (no. 893 121 1).

- 1. stainless steel stand
- 2. coin-operated automat
- 3. lockable money box (according to version type)
- 4. electronics
- 5. electricity meters and protective switches (according to version type)
- 6. water-meters (according to version type)
- 7. el.sockets and its connection
- 8. water valve (according to version type)
- 9. lock
- 10. anchoring construction

Requirements for setting up the construction

- 1. Set-up concrete base for installation of anchoring bolts
- 2. Set-up supply cable to the middle (? 50 mm) of the column base

Basic technical informationMax.outer dimensions

Input voltage

Max.cross section of el.cable Looping of supply cables

Output voltage Output current Acceptable coins

Adjustable price of electricity

 $440 \times 300 \times 1470 \text{ mm}$ 3× 400 V, 50 Hz, TN-S 5× 25 mm?

yes 230 V 10 A

1, 2, 5, 10, 20, 50 CZK

0,1; 0,2; 0,5; 1; 2 ? 5 ÷ 50 CZK/kWh (0,2 - 2 ?/kWh)

Figures

